

Ver. 2303

**Product Specification** 

## **FEATURES:**

- Unique modular design and full range of accessories allows to assemble a patch panel as needed
- Four adapter slots can be covered by SC, ST, LC, FC-D-flange or blank adapter panels; Support up to 24 ports of SC simplex or LC duplex adaptors to provide up to 48 fibers terminations. The adapter panels are available for unloaded and fully loaded (see page 3&4)
- Equipped with splice cassette of 24 cores and cable routings. For 48 cores, stackable splice cassette (PN673000001) is available for ordering additionally.
- Fits to standard 19" racks; 1U height
- Smooth sliding tray with self lock function, easy to install and maintain
- Material/thickness of body and adapter panels: cold rolled steel/1.4 mm
- Material of splice cassette and cable routing: ABS
- Adapter meets TIA/EIA 568.3-D
- RoHS compliant



<sup>\*</sup>The main body is without adapters and adapter panels, the picture is for reference only.

#### **APPLICATIONS:**

- Telecommunications
- Local Area Network
- FTTH deployments
- CATV
- Provide termination, protection, connection, management of fiber optic cable

## **ACCESSORIES:**


Splice cassette (for 24 fibers)	1pc	Main body rivet	2pcs
Cable routing spool	2pcs	Adapter panel rivet	8pcs
Fiber protection sleeve	24pcs	Adapter set screw	50pcs
Cable tie	12pcs	/	/



Ver. 2303

**Product Specification** 

# **DRAWING:**



## **ORDERING INFORMATION:**

Part No. 671100002

Description 1U 19" fiber optic patch panel main body including 1pc splice cassette for

24 cores, black

Packing 1pc/box, 5pcs/carton

Carton dimension: 53 x 32 x 28.5cm, Weight: N.W. 15.5 kgs, G.W. 17.0 kgs






Ver. 2303

**Product Specification** 

# **ADAPTER PANEL:**




## **DRAWINGS AND PART NUMBERS:**




## PN 672301042

4-port SC Simplex/LC Duplex adapter panel



## PN 672301062

6-port SC Simplex/LC Duplex adapter panel




## PN 672401042

4-port SC Duplex/LC Quad adapter panel



# PN 672302042

4-port ST/FC Simplex adapter panel



## PN 672302062

6-port ST/FC Simplex adapter panel



#### PN 672500002

Blank panel



Ver. 2303

**Product Specification** 

# FULLY LOADED ADAPTER PANEL - ORDERING INFORMATION:

Part No.	Description
6723x1042	4ports SC adapter panel, simplex, black
6724x1042	4ports SC adapter panel, duplex, black
6723x1062	6ports SC adapter panel, simplex, black
6723x2042	4ports ST, adapter panel, simplex, black
6723x2062	6ports ST adapter panel, simplex, black
6723x3042	4ports FC (D flange type) adapter panel, simplex, black
6723x3062	6ports FC (D flange type) adapter panel, simplex, black
6724x4042	4ports LC adapter panel, duplex, black
6729x4042	4ports LC adapter panel, quad, black
6724x4062	6ports LC adapter panel, duplex, black
672500002	blank panel, black

- x = 1: MM adapter fully loaded
  - 2: SM/UPC adapter fully loaded
  - 3: SM/APC adapter fully loaded

## **ACCESSORIES:**



Part No.	Description	
673000001	Splice cassette for 24 cores, white (including 1 pc of cassette, 24 pcs of fiber	
	protection sleeve)	
Packing: 1pc/PE bag, 20pcs/box, 80pcs/carton, carton dimension: 46 x 46 x 17cm		

Premium-Line Systems GmbH, Rosenheimer Str.89, D-83064 Raubling, Germany

► TEL: + 49(0)8035 9836 0 ► Fax: + 49(0)8035 9836 22